

HUAYA

Xingtai Huaya Machine Tool Manufacturing Co., Ltd

Add: No. 37, Xingjiawan Industrial Zone, Xingtai City, Hebei, China

Email: info@huaya.cn

Web: www.huayaba.com

邢台市华亚机床制造有限公司

地址：河北省邢台市邢湾工业区37号

邮箱：info@huaya.cn

网址：www.huayaba.com

Xingtai Huaya Machine
Tool Manufacturing Co., Ltd

邢台市华亚机床制造有限公司

HUAYA
华亚重工

www.huayaba.com





About us 关于我们

Xingtai Huaya Machine Tool Manufacturing Co., LTD is a heavy equipment manufacturing enterprise. Since the first machine was manufactured in 1996, through continuous efforts and innovation, it has grown into an enterprise with five subsidiaries. The company covers an area of 200,000 square meters and have more than 600 employees. At present, it is a large scale, complete industrial chain, comprehensive strength and good economic benefits of engineering equipment R&D, manufacturing and export base. The persistent pursuit of reliable quality is the consistent philosophy of Huaya, and also the key to the development and growth of Huaya.

Excellence is the bridge to the world. As the source of lean production, Huaya is committed to quality improvement and continuously meets the needs of customers. From point to surface, from detail to whole, from production to management. Huaya carries the value mission of the future and committed to contributing to world-class brands.

HUAYA has a first-class R & D team, a first-class manufacturing team and a first-class after-sales service team. It passed ISO9001 international quality management system certification, and passed CE, EAC, TUV, EPA4 engine ,EURO3 engine, EURO5 engine certificates to meet customer requirements, The products of HUAYA are always in sync with the advanced level of the world and shaping a new image of HUAYA.

We firmly believe that the best service is to provide the most suitable products and solutions after fully understanding you.

邢台华亚机床制造有限公司是一家重型装备制造企业。自1996年制造第一台机器以来，经过不断的努力和创新，现已发展成为拥有5家子公司的企业。公司占地面积20万平方米，员工600余人。目前是规模大、产业链完整、综合实力和经济效益好的工程装备研发、制造和出口基地。对可靠品质的执着追求是华亚一贯的理念，也是华亚得以发展壮大关键。

卓越是通向世界的桥梁。华亚作为精益生产之源，致力于品质提升，不断满足客户需求。从点到面，从细节到整体，从生产到管理。华亚承载着面向未来的价值使命，致力于为世界一流品牌做贡献。

华亚拥有一流的研发团队、一流的制造团队和一流的售后服务团队。通过了ISO9001国际质量管理体系认证，并通过了CE、EAC、TUV、EPA4发动机、EURO3发动机、EURO5发动机证书以满足客户要求，华亚产品始终与世界先进水平同步，塑造全新华亚形象。

我们坚信，最好的服务是在充分了解您后提供最合适的产品和解决方案。

HUAYA CARRY THE FUTURE
胜出，必有所长

After-sales service



The Warranty period is either 1 year or 1200 working hours upon receipt whichever comes first.



English-speaking service team is standby to answer any questions you meet while machine is in use.



We guarantee that all your questions will be answered within 12 hours.



Parts in need will be delivered either by air or sea upon request.



HUAYA
华亚重工

EX04E wheel loader

Rated load (kg)	500
Overall dimensions (mm)	2900×1220×2220
Bucket width (m)	1.05 (Optional)
Operation weight (kg)	930
Dumping height (mm)	1500
Communication	120AH-150AH(60v)
Herringbone tire model	6.00-12
Bucket width (m)	1.05 (Optional)



EX180 wheel loader

Rated load (kg)	800
Overall dimensions (mm)	4300×1160×2150
Bucket capacity (cbm)	0.3
Operation weight (kg)	2000
Max. dump height (mm)	2167
Standard tires	10.0/75-15.3
Fuel tank (L)	45
Wheelbase (mm)	1540
Ground clearance (mm)	220
Engine	Yanmar/Perkins Kohler/Kubota



EX908 wheel loader

Rated load (kg)	800
Overall dimensions (mm)	4700×1400×2470
Bucket capacity (cbm)	0.4
Operation weight (kg)	2550
Dumping height (mm)	2000
Engine	Yunnei/Xinchai
Standard tires	31*15.5-15
Fuel tank (L)	50
Wheelbase (mm)	1600
Ground clearance (mm)	230



EX910 wheel loader

Rated load (kg)	1000
Overall dimensions (mm)	5250x1750x2650
Bucket capacity (cbm)	0.6
Operation weight (kg)	3400
Max. dump height (mm)	2650
Standard tires	14/90-16
Fuel tank (L)	65
Wheelbase (mm)	1680
Ground clearance (mm)	240
Engine	Yunnei/Changchai Xinchai/Yanmar/Cummins



EX915 wheel loader

Rated load (kg)	1500
Overall dimensions (mm)	5300×1800×2700
Bucket capacity (m ³)	0.7
Operation weight (kg)	3500
Dumping height (mm)	2650
Standard tires	20.5/70-16
Fuel tank (L)	65
Wheelbase (mm)	1680
Ground clearance (mm)	240
Engine	Yunnei/Xinchai Yanmar/Cummins



EX916 wheel loader

Rated load (kg)	1600
Overall dimensions (mm)	5000×1800×2700
Bucket capacity (m ³)	0.8
Operation weight (kg)	3800
Dumping height (mm)	2370
Standard tires	23.5/70-16
Fuel tank (L)	65
Wheelbase (mm)	2000
Ground clearance (mm)	260
Engine	Yunnei/Xinchai Yanmar/Cummins



EX918 wheel loader

Rated load (kg)	1800
Overall dimensions (mm)	5300×1900×2830
Bucket capacity (m ³)	0.9
Operation weight (kg)	4100
Dumping height (mm)	2650
Standard tires	23.5/70-16
Fuel tank (L)	75
Wheelbase (mm)	2200
Ground clearance (mm)	260
Engine	Yunnei/Xinchai Yanmar/Cummins



EX920 wheel loader

Rated load (kg)	2000
Overall dimensions (mm)	6000×2000×2950
Bucket capacity (m ³)	1
Operation weight (kg)	5000
Dumping height (mm)	2750
Standard tires	16/70-20 Tyre
Fuel tank (L)	82
Wheelbase (mm)	2400
Ground clearance (mm)	340
Engine	Yunnei/Xinchai/Yanmar Cummins/Perkins



EX926 wheel loader

Rated load (kg)	2600
Overall dimensions (mm)	5890×2000×2850
Bucket capacity (m ³)	1.3
Operation weight (kg)	5500
Dumping height (mm)	2900
Standard tires	16/70-20 Tyre
Fuel tank (L)	80
Wheelbase (mm)	2400
Ground clearance (mm)	310
Engine	Yunnei/Xinchai Yanmar/Cummins



EX928 wheel loader

Rated load (kg)	2800
Overall dimensions (mm)	5890×2170×2850
Bucket capacity (m ³)	1.4
Operation weight (kg)	6200
Dumping height (mm)	3500
Standard tires	16/70-20 Tyre
Fuel tank (L)	85
Wheelbase (mm)	2400
Ground clearance (mm)	310
Engine	Yunnei/Cummins



EX930 wheel loader


Rated load (kg)	3000
Overall dimensions (mm)	6890×2430×3070
Bucket capacity (m ³)	1.53
Operation weight (kg)	9600
Dumping height (mm)	3800
Standard tires	17.5-25 Tyre
Fuel tank (L)	120
Wheelbase (mm)	2630
Ground clearance (mm)	400
Engine	Weichai/Cummins



EX950 wheel loader

Rated load (kg)	5000
Overall dimensions (mm)	8247×3060×3410
Bucket capacity (m ³)	3
Operation weight (kg)	16800
Dumping height (mm)	3100
Standard tires	23.5-25 Tyre
Fuel tank (L)	300
Wheelbase (mm)	3250
Ground clearance (mm)	450
Engine	Weichai





Grab bucket



4 in 1 bucket



Stone bucket



Grass fork



Snow blade



Material slide



Silage rake




Box rotator



Ground planer



Bale cutting




Round bale unroller



Stone bucket




Pot gripper



Hydraulic pallet fork



Ripper




Pallet fork



Square light cargo bucket



Feed dosing bucket



Trencher



Mulcher



Auger



Hook



Silage cutting blade



Wood fork





Tree spade 2



Hydraulic cutting bucket



Digger



Breaking hammer

seats option&style



Comfortable seat

1. Fore & aft adjustable scope is 150mm
2. The angle of back adjustable scope is 90°-105°
3. Weight has three adjustable ranges according to human weights
4. The deoscillator device travel is 35mm



Comfortable seat

1. Fore & aft adjustable scope is 150mm
2. The height adjustable scope is 60mm
3. The angle of back adjustable scope is 60-150°
4. Weight adjustment range is 50-130kg
5. The deoscillator device travel is 80mm



Air seat

1. The seat highest height is 370±10mm
2. Fore & aft adjustable scope is 160mm
3. The seatrest has four steps adjustment, each trave is 15mm
4. Air pump has 12V and 24V option
5. The angle of back adjustable scope is 60-160°



Size: 26*12.00-12 agriculture tyre



Size: 26*12.00-12 grass tyre



Size: 31*15.5-15 agriculture tyre



Size: 23.5/70-16 agriculture tyre



Size: 12-16.5 agriculture tyre



Size: 20.5*70-16 agriculture tyre



Size: 16*70-24 Z-pattern tyre



Size: 12.5/80-15 tubeless tyre



Size: 31*15.5-15 grass tyre



Size: 16-70-20 agriculture tyre



TL180T Telescopic loader

Rated load (kg)	900
Overall dimensions (mm)	3820×1260×2310
Bucket capacity (m ³)	0.3
Operation weight (kg)	2100
Dumping height (mm)	2051-2618
Standard tires	10.0/75-15.3
Fuel tank (L)	45
Wheelbase (mm)	1540
Ground clearance (mm)	220
Engine	Yanmar/Perkins Kohler/Kubota



TL280T Telescopic loader

Rated load (kg)	1000
Overall dimensions (mm)	4600×1600×2200
Bucket capacity (m ³)	0.5
Operation weight (kg)	2300
Dumping height (mm)	2600-3500
Standard tires	31/15.5-15
Fuel tank (L)	60
Wheelbase (mm)	1940
Ground clearance (mm)	240
Engine	Changchai/Yunnei Yanmar/Kubota



TL1500 Telescopic loader

Rated load (kg)	1500
Overall dimensions (mm)	5800×1800×2680
Bucket capacity (m ³)	0.65
Operation weight (kg)	4200
Dumping height (mm)	3600
Standard tires	23.5/70-16
Fuel tank (L)	65
Wheelbase (mm)	2355
Ground clearance (mm)	260
Engine	Yunnei/Xinchai Yanmar/Cummins



TL1800 Telescopic loader

Rated load (kg)	1800
Overall dimensions (mm)	5900×1800×2710
Bucket capacity (m ³)	0.75
Operation weight (kg)	4500
Dumping height (mm)	3700
Standard tires	23.5/70-16
Fuel tank (L)	65
Wheelbase (mm)	2355
Ground clearance (mm)	260
Engine	Yunnei/Xinchai/ChangChai Yanmar/Cummins



TL2000 Telescopic loader

Rated load (kg)	2000
Overall dimensions (mm)	6600×2050×2800
Bucket capacity (m ³)	1
Operation weight (kg)	5400
Dumping height (mm)	3950
Standard tires	16/70-20
Fuel tank (L)	82
Wheelbase (mm)	2500
Ground clearance (mm)	340
Engine	Yunnei/ChangChai Cummins



TL2500 Telescopic loader

Rated load (kg)	2500
Overall dimensions (mm)	6800×2050×2900
Bucket capacity (m ³)	1.1
Operation weight (kg)	6800
Dumping height (mm)	4300
Standard tires	16/70-24
Fuel tank (L)	94
Wheelbase (mm)	2650
Ground clearance (mm)	350
Engine	Yunnei/ChangChai Cummins



TL3000 Telescopic loader

Rated load (kg)	3000
Overall dimensions (mm)	6800×2050×2900
Bucket capacity (m ³)	1.2
Operation weight (kg)	7300
Dumping height (mm)	4500
Standard tires	17.5/70-25
Fuel tank (L)	94
Wheelbase (mm)	2700
Ground clearance (mm)	370
Engine	YuChai/Fiat/WeiChai Cummins



TL3500 Telescopic loader

Rated load (kg)	3500
Overall dimensions (mm)	7160×2360×3000
Bucket capacity (m ³)	1.3
Operation weight (kg)	7600
Dumping height (mm)	5500
Standard tires	17.5/70-25
Fuel tank (L)	100
Wheelbase (mm)	2700
Ground clearance (mm)	370
Engine	YuChai/Fiat/WeiChai Cummins





Bucket



Snow Bucket



Mixer Bucket



4 in 1 bucket



Snow Bucket Wings



Pallet Forks



Grapple Bucket



European Grapple Forks



Manure Forks





V Snow Blade



Snow Blade



Plain Bucket



Adjustable Pallet Forks



Sweeper



Barrel Clamp



Digger



JIB



Auger

